acc. to 29 CFR 1910.1200 App D

Caramel Cream

n number: GHS 1.0	Date of compilation: 2023-04-10			
ION 1: Identification				
Product identifier				
Trade name	Caramel Cream			
Product number	10-555-9999			
2 Relevant identified uses of the substance or mixture and uses advised against				
Relevant identified uses	Industrial use			
Details of the supplier of the safety data she	et			
Eybna Technologies Ltd 23 Pa'amei Aviv St. 43905 Givat Hen Israel Telephone: +972 3 3741976 e-mail: Silvia@eybna.com Website: http://www.eybna.com/				
e-mail (competent person)	Silvia@eybna.com (Silvia Levy)			
Emergency telephone number	+1 4158544820			
	TON 1: Identification Product identifier Trade name Product number Relevant identified uses of the substance or Relevant identified uses Details of the supplier of the safety data sher Eybna Technologies Ltd 23 Pa'amei Aviv St. 43905 Givat Hen Israel Telephone: +972 3 3741976 e-mail: Silvia@eybna.com Website: http://www.eybna.com/ e-mail (competent person)			

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317
A.6	carcinogenicity	2	Carc. 2	H351
A.10	aspiration hazard	1	Asp. Tox. 1	H304
B.6	flammable liquid	2	Flam. Liq. 2	H225

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger
- Pictograms

GHS02, GHS07, GHS08

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

Date of compilation: 2023-04-10

- Hazard statements	
H225	Highly flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
- Precautionary stater	nents
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of water.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	If exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to industrial combustion plant.

2.3 Other hazards

Hazards not otherwise classified

May be harmful if swallowed (GHS category 5: acutely toxic - oral). Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Date of compilation: 2023-04-10

Name of substance	Wt%	Classification acc. to GHS
Proprietary Monoterpene	10-<25	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Carc. 2 / H351 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226
Proprietary Monoterpene	10 - < 25	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226
Proprietary Sesquiterpene	10 - < 25	Acute Tox. 4 / H302
Proprietary compound	5 - < 10	Skin Sens. 1B / H317
Proprietary Monoterpenic Alcohol	1-<5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 STOT SE 3 / H335 Flam. Liq. 4 / H227
Proprietary Monoterpene	1-<5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 STOT SE 3 / H335 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226
	1-<5	Eye Irrit. 2 / H319 Flam. Liq. 2 / H225
Proprietary Sesquiterpenic Alcohol	1-<5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335
Proprietary Monoterpenic Alcohol	1-<5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335
Proprietary Monoterpenic Alcohol	1-<5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335
Proprietary Aldehyde	1 - < 5	Acute Tox. 4 / H302
Proprietary Monoterpene	0-<1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317
Proprietary Monoterpenic Alcohol	0-<1	Acute Tox. 4 / H302 Skin Sens. 1 / H317 Flam. Sol. 1 / H228

For full text of abbreviations: see SECTION 16.

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mix-tures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Date of compilation: 2023-04-10

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

Date of compilation: 2023-04-10

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

Date of compilation: 2023-04-10

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of substance	Identifi- er	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceiling-C [mg/m³]	Source
US	Beta-Pinene	TLV®	20					ACGIH® 2022

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

Relevant DNELs of components of the mixture						
Endpoint	Threshold level	Protection goal, route of ex- posure	Used in	Exposure time		
DNEL	66.7 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
DNEL	17.6 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
DNEL	2.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	16.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects		
DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects		
DNEL	5.69 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
DNEL	54 µg/cm²	human, dermal	worker (industry)	chronic - local effects		
DNEL	10 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	2.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
DNEL	122.5 μg/cm²	human, dermal	worker (industry)	chronic - local effects		
DNEL	9.03 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects		

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Date of compilation: 2023-04-10

Version number: GHS 1.0

Relevant DNELs	of components	of the mixture
NEIEVAIL DIVLLS	or components	

	•			
Endpoint	Threshold level	Protection goal, route of ex- posure	Used in	Exposure time
DNEL	158 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	62.59 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	35.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	17.63 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	10 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture					
Other names or synonyms	Endpoint	Threshold level	Organism	Environmental com- partment	Exposure time
Proprietary Monoterpene	PNEC	14 ^{µg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Proprietary Monoterpene	PNEC	1.4 ^{µg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Proprietary Monoterpene	PNEC	1.8 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Proprietary Monoterpene	PNEC	3.85 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Proprietary Monoterpene	PNEC	0.385 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Proprietary Monoterpene	PNEC	0.763 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single in- stance)
Proprietary com- pound	PNEC	2.5 ^{µg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Proprietary com- pound	PNEC	0.25 ^{µg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Proprietary com- pound	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Proprietary com- pound	PNEC	11.9 ^{µg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Proprietary com- pound	PNEC	1.2 ^{µg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Proprietary com- pound	PNEC	0.84 ^{µg} / _{kg}	terrestrial organisms	soil	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	0.2 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	0.02 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

Date of compilation: 2023-04-10

Relevant PNECs of components of the mixture					
Other names or synonyms	Endpoint	Threshold level	Organism	Environmental com- partment	Exposure time
Proprietary Monoterpenic Al- cohol	PNEC	2.22 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	0.222 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	0.327 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single in- stance)
Proprietary Monoterpene	PNEC	1.004 ^{µg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Proprietary Monoterpene	PNEC	0.1 ^{µg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Proprietary Monoterpene	PNEC	3.26 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Proprietary Monoterpene	PNEC	0.337 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Proprietary Monoterpene	PNEC	0.034 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Proprietary Monoterpene	PNEC	0.067 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single in- stance)
Proprietary Ses- quiterpenic Alco- hol	PNEC	0.001 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Proprietary Ses- quiterpenic Alco- hol	PNEC	0 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Proprietary Ses- quiterpenic Alco- hol	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Proprietary Ses- quiterpenic Alco- hol	PNEC	0.07 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Proprietary Ses- quiterpenic Alco- hol	PNEC	0.007 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Proprietary Ses- quiterpenic Alco- hol	PNEC	0.014 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	68 ^{µg} /I	aquatic organisms	freshwater	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	6.8 ^{µg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	2.6 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

Γ

Date of compilation: 2023-04-10

Relevant PNECs of components of the mixture					
Other names or synonyms	Endpoint	Threshold level	Organism	Environmental com- partment	Exposure time
Proprietary Monoterpenic Al- cohol	PNEC	1.85 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	0.185 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	0.329 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single in- stance)
Proprietary Monoterpene	PNEC	3.72 ^{µg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Proprietary Monoterpene	PNEC	0.372 ^{µg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Proprietary Monoterpene	PNEC	8 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Proprietary Monoterpene	PNEC	0.442 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Proprietary Monoterpene	PNEC	0.044 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Proprietary Monoterpene	PNEC	0.086 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	1.71 ^{µg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	0.171 ^{µg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	1 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	0.139 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	0.017 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Proprietary Monoterpenic Al- cohol	PNEC	0.013 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single in- stance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

Date of compilation: 2023-04-10

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	
Particle	not relevant (liquid)
Odor	characteristic

Other safety parameters

not determined
not determined
78 °C
16 °C
Not determined
not relevant, (fluid)

Explosive limits

- Lower explosion limit (LEL)	3.5 vol%
- Upper explosion limit (UEL)	15 vol%

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

Date of compilation: 2023-04-10

Vapor pressure	59 hPa at 20 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies) not determined	
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	237 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Other information	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

Acute toxicity estimate (ATE) of components of the mixture					
Other names or synonyms Exposure route ATE					
Proprietary Sesquiterpene	oral	500 ^{mg} / _{kg}			
Proprietary Monoterpene	oral	500 ^{mg} / _{kg}			
Proprietary Monoterpene	dermal	1,100 ^{mg} / _{kg}			
Proprietary Monoterpene	inhalation: vapor	11 ^{mg} / _l /4h			
Proprietary Monoterpenic Alcohol	oral	1,310 ^{mg} / _{kg}			

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans				
Name of substance Classification Number				
Proprietary Monoterpene	2В			
Proprietary Monoterpene 3				

Legend 2B 3

Possibly carcinogenic to humans Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

Date of compilation: 2023-04-10

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Г

Very toxic to aquatic life with long lasting effects.

Other names or Endpoint Value Species				Exposure time
synonyms	Enapoint	value	Species	Exposure time
Proprietary Monoterpene	EC50	1.47 ^{mg} / _l	aquatic invertebrates	48 h
Proprietary Monoterpene	ErC50	0.342 ^{mg} / _l	algae	72 h
Proprietary Monoterpene	LC50	720 ^{µg} / _l	fish	96 h
Proprietary Monoterpene	EC50	688 ^{µg} /I	fish	96 h
Proprietary Monoterpene	ErC50	0.32 ^{mg} / _l	algae	72 h
Proprietary com- pound	LC50	1.6 ^{mg} / _l	fish	24 h
Proprietary com- pound	EC50	82 ^{mg} / _l	aquatic invertebrates	24 h
Proprietary com- pound	om- ErC50 31 ^{mg} / _l algae		72 h	
Proprietary /onoterpenic Alco- hol	LC50	27.8 ^{mg} / _l	fish	96 h
Proprietary Ionoterpenic Alco- hol	EC50	59 ^{mg} /l	aquatic invertebrates	48 h
Proprietary Ionoterpenic Alco- hol	ErC50	156.7 ^{mg} / _l	algae	96 h
Proprietary Ses- Juiterpenic Alcohol	roprietary Ses- LC50 1.43 ^{mg} / _l fish terpenic Alcohol		fish	96 h
Proprietary Ses- Juiterpenic Alcohol	EC50	510.3 ^{µg} / _l	aquatic invertebrates	48 h
Proprietary Ses- uiterpenic Alcohol	ErC50	2 ^{mg} / _l	2 ^{mg} / _l algae	
Proprietary LC50 >82 ^{mg} / _l fish Nonoterpenic Alco- hol		fish	96 h	
Proprietary lonoterpenic Alco- hol	EC50	10 ^{mg} / _l	aquatic invertebrates	48 h

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

Date of compilation: 2023-04-10

Aquatic toxicity (acute) of components of the mixture					
Other names or synonyms	Endpoint	Value	Species	Exposure time	
Proprietary Monoterpenic Alco- hol	ErC50	>11 ^{µg} / _l	algae	72 h	
Proprietary Alde- hyde	EC50	6.8 ^{mg} / _l	aquatic invertebrates	48 h	
Proprietary Alde- hyde	ErC50	194 ^{mg} / _l	algae	72 h	
Proprietary Monoterpene	LC50	68.12 ^{mg} / _l	fish	96 h	
Proprietary Monoterpene	EC50	14.1 ^{mg} / _l	aquatic invertebrates	48 h	
Proprietary Monoterpene	ErC50	3.72 ^{mg} / _l	algae	72 h	
Proprietary Monoterpenic Alco- hol	LC50	33.25 ^{mg} / _l	fish	96 h	
Proprietary Aonoterpenic Alco- hol	EC50	4.23 ^{mg} / _l	aquatic invertebrates	48 h	
Proprietary Aonoterpenic Alco- hol	ErC50	1.71 ^{mg} / _l	algae	72 h	

Aquatic toxicity (chronic) of components of the mixture					
Other names or Endpoint synonyms		Value	Species	Exposure time	
Proprietary Monoterpene				8 d	
Proprietary Monoterpene	LC50	0.41 ^{mg} / _l	fish	8 d	
Proprietary Monoterpenic Alco- hol	EC50	>100 ^{mg} / _l	microorganisms	30 min	
Proprietary EC50 Monoterpene		326 ^{mg} / _l	microorganisms	3 h	
Proprietary Ses- quiterpenic Alcohol EC50 Proprietary EC50 Monoterpenic Alco- hol EC50		>1,000 ^{mg} / _l	microorganisms	30 min	
		>100 ^{mg} / _l	microorganisms	3 h	

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

Date of compilation: 2023-04-10

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** Information on this property is not available.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

14.1		
	DOT	UN 1993
	IMDG-Code	UN 1993
	ICAO-TI	UN 1993
14.2	UN proper shipping name	
	DOT	Flammable liquid, n.o.s.
	IMDG-Code	FLAMMABLE LIQUID, N.O.S.
	ICAO-TI	Flammable liquid, n.o.s.
	Technical name (hazardous ingredients)	Vanilla Complex, Caramel Furanone
14.3	Transport hazard class(es)	
	DOT	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	DOT	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	hazardous to the aquatic environment

acc. to 29 CFR 1910.1200 App D

Caramel Cream

ISIOI	n number: GHS 1.0	Date of compilation: 2023-04			
	Environmentally hazardous substance (aquatic environment)	Beta-Myrcene			
4.6	Special precautions for user				
	There is no additional information.				
4.7	Transport in bulk according to IMO instrumen	ts			
	The cargo is not intended to be carried in bulk.				
	Information for each of the UN Model Regulat	ions			
	Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information			
	Particulars in the shipper's declaration	UN1993, Flammable liquid, n.o.s., (contains: Vanilla Complex, Caramel Furanone), 3, II, envi onmentally hazardous			
	Danger label(s)	3, fish and tree			
	Environmental hazards	Yes (hazardous to the aquatic environment)			
	Special provisions (SP)	IB2, T7, TP1, TP8, TP28			
	ERG No	128			
	International Maritime Dangerous Goods Code	e (IMDG) - Additional information			
	Marine pollutant	YES (hazardous to the aquatic environment) (Beta-Myrcene)			
	Danger label(s)	3, fish and tree			
	Special provisions (SP)	274			
	Excepted quantities (EQ)	E2			
	Limited quantities (LQ)	1 L			
	EmS	F-E, <u>S-E</u>			
	Stowage category	В			
	International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information				
	Environmental hazards	YES (hazardous to the aquatic environment)			
	Danger label(s)	3			
	Special provisions (SP)	A3			
	Excepted quantities (EQ)	E2			
	Limited quantities (LQ)	1 L			

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Date of compilation: 2023-04-10

Version number: GHS 1.0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
(R)-p-mentha-1,8-diene	138-86-3		F2
L-borneol	507-70-0		F2

Legend

F2 Flammable - Second Degree

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals				
Name acc. to inventory CAS No Remarks Type of the toxicity				
beta-Myrcene	123-35-3		cancer	

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with wa- ter, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Health	2	material that, under emergency conditions, can cause temporary incapacitation or re- sidual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
US	TSCA	not all ingredients are listed
Legend		

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2022	From ACGIH®, 2022 TLVs® and BEIs® Book. Copyright 2022. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

Date of compilation: 2023-04-10

Abbr.	Descriptions of used abbreviations
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
Flam. Sol.	Flammable solid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edi- tion
OSHA	Occupational Safety and Health Administration (United States)
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

acc. to 29 CFR 1910.1200 App D

Caramel Cream

Version number: GHS 1.0

Date of compilation: 2023-04-10

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapor.
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.